

## RCS-10R FIELD MOUNTING KIT



**RCS-10R Field Mounting Kit**


- Control arm/screw assembly - mounted on standoff bracket.
- Standard 36" long cable included (optional cable lengths available.)
- Allen key remote control assembly can be provided loose for use with almost any balancing damper.
- Standard 15/16" O.D. provides unobtrusive opening in ceiling or wall for architectural requirements.

## BACKDRAFT DAMPERS




**BD-50**

**5 YEAR WARRANTY**



**Vertical Mount**



**Horizontal Mount**

Size	Stock#	List Price
6"x6"	W-11899	\$42.00
8"x8"	W-11900	\$42.00
10"x10"	W-11901	\$56.00
12"x12"	W-11902	\$56.00
14"x14"	W-11903	\$77.00
16"x16"	W-11904	\$77.00
18"x18"	W-11905	\$119.00
20"x20"	W-11906	\$119.00
22"x22"	W-11907	\$146.00
24"x24"	W-11908	\$146.00


The BD-50 is constructed with 2" x 1/2" X .060 extruded aluminum channel frame and 24 gauge formed aluminum blades. They feature nylon bushings and blade axles. They are constructed for vertical mounting and horizontal upflow.

- Aluminum tie bar interconnects all blades for increased stability at higher velocities up to 1250 fpm.
- Blade edge open cell neoprene gaskets reduce leakage and noise.
- Units supplied approximately 1/4" under nominal duct dimension.



**BDR**

The BDR is constructed with 20 gauge steel frame and sleeve with aluminum spring loaded blades. They are constructed for vertical mounting and horizontal upflow.



**Air Flow**

Size	Stock#	List Price
4"	W-11909	\$40.00
6"	W-11911	\$46.00
7"	W-11912	\$71.00
8"	W-11913	\$83.00
10"	W-11914	\$114.00
12"	W-11915	\$154.00
14"	W-11916	\$182.00
16"	W-12281	\$229.00

- Neoprene closed cell gaskets around frame.
- Designed for low air flow gravity and fan usage less than 600 FPM.